Contents to volume 314

Research Letters

Glycation of crystallins in lenses from aging and diabetic individuals (FEBS 11814) *M.A.M. van Boekel, H.J. Hoenders* 1
Comparison of the Ca^{2+} binding properties of the γ-carboxyglutamic acid-containing module of protein Z in the intact protein and in N-terminal fragments (FEBS 11815) *E. Persson, J. Stenflo* 5
Structure of UvrABC excinuclease–UV-damaged DNA complexes studied by flow linear dichroism: DNA curved by UvrB and UvrC (FEBS 11788) *M. Takahashi, E. Bertrand-Burggraf, R.P.P. Fuchs, B. Nordén* 10
Changes in chromatin structure due to hypomethylation induced with 5-azacytidine or DL-ethionine (FEBS 11817) *J. Fajkus, B. Vyskot, M. Bezděk* 13
Initiator–promotor coupling of phospholipases D and A_2 in platelets upon cholesterol incorporation (FEBS 11818) *N. Kochhar, D. Kaul* 17
Na^+-dependent AIB transport by neuroblastoma cells (FEBS 11819) *A. del Castillo-Olivares, M.A. Medina* 20
Human peripheral blood lymphocytes express D5 dopamine receptor gene and transcribe the two pseudogenes (FEBS 11820) *N. Takahashi, Y. Nagai, S. Ueno, Y. Saeki, T. Yanagihara* 23
Interaction of α subunit of GTP-binding protein Go with a 20-kDa Triton-insoluble membrane protein in bovine brain (FEBS 11827) *T. Shiozaki, M. Negishi, S. Takahashi, A. Ichikawa* 26
The influence of oligodeoxyribonucleotide phosphorothioate pyrimidine strands on triplex formation (FEBS 11821) *S.-G. Kim, S. Tsukahara, S. Yokoyama, H. Takaku* 29
A GC box in the bidirectional promoter is essential for expression of the human dihydrofolate reductase and mismatch repair protein 1 genes (FEBS 11822) *H. Fujii, E. Shinya, T. Shimada* 33
Inhibition of calcineurin by cyclosporin A–cyclophilin requires calcineurin B (FEBS 11823) *A. Haddy, S.K.-H. Swanson, T.L. Born, F. Rusnak* 37
The amphicrine pancreatic cell line, AR42J, secretes GABA and amylase by separate regulated pathways (FEBS 11824) *G. Ahnert-Hilger, B. Wiedenmann* 41
The sequence of human caveolin reveals identity with VIP21, a component of transport vesicles (FEBS 11825) *J.R. Glenney Jr.* 45
Nitric oxide-releasing compounds inhibit *Dictyostelium discoideum* aggregation without altering cGMP production (FEBS 11826) *Y. Tao, A. Howlett, C. Klein* 49
Full activation without calmodulin of calmodulin-dependent cyclic nucleotide phosphodiesterase by acidic glycosphingolipids: GM3, sialosylneolactotetraosylceramide and sulfatide (FEBS 11828) *H. Higashi, T. Yamagata* 53
Interaction of human myeloperoxidase with nitrite* (FEBS 11836) *C.E. Cooper, E. Odell* 58
The single-copy gene *psbS* codes for a phylogenetically intriguing 22 kDa polypeptide of photosystem II (FEBS 11830) *N. Wedel, R. Klein, U. Ljungberg, B. Andersson, R.G. Herrmann* 61
Characterization of a spinach *psbS* cDNA encoding the 22 kDa protein of photosystem II (FEBS 11829) *S. Kim, P. Sandusky, N.R. Bowlby, R. Aebersold, B.R. Green, S. Vlahakis, C.F. Yocum, E. Pichersky* 67
Regulation of cardiac insulin receptor function by guanosine nucleotides (FEBS 11832) *M. Russ, H. Reinauer, J. Eckel* 72
Complex formation between glutamyl-tRNA synthetase and glutamyl-tRNA reductase during the tRNA-dependent synthesis of 5-aminolevulinic acid in *Chlamydomonas reinhardtii* (FEBS 11831) *D. Jahn* 77
BisG10, a K^+ channel blocker, affects the calcium release channel from skeletal muscle sarcoplasmic reticulum (FEBS 11833) *B. Allard, M.-J. Moutin, M. Ronjat* 81
Natural human tumor necrosis factor beta (lymphotoxin): Variable *O*-glycosylation at Thr^7, proteolytic processing, and allelic variation (FEBS 11834) *C.G. Voigt, I. Maurer-Fogy, G.R. Adolf* 85
'All-or-none' mechanism of the molten globule unfolding (FEBS 11816) *V.N. Uversky, G.V. Semisotnov, R.H. Pain, O.B. Ptitsyn* 89
Inhibition of actin-activated myosin Mg^{2+}-ATPase in smooth muscle by Ruthenium red (FEBS 11837) *F. Nakamura, M. Naka, T. Tanaka* 93
Inactivation of the Na,K-ATPase by modification of Lys-501 with 4-acetamido-4′-isothiocyanatostilbene-2,2′-disulfonic acid (SITS) (FEBS 11838) *C.H. Pedemonte, T.L. Kirley, M.J. Treuheit, J.H. Kaplan* 97
Correlation of cofactor binding and the quaternary structure of pyruvate decarboxylase as revealed by ^{31}P NMR spectroscopy (FEBS 11795) *G. Hübner, S. König, K.D. Schnackerz* 101

Hypothesis

Do G protein subunits associate via a three-stranded coiled coil? (FEBS 11835) *A.N. Lupas, J.M. Lupas, J.B. Stock* 105

Research Letters

Site-directed mutation makes rabbit calcyclin dimer (FEBS 11842) *Y. Ando, M. Watanabe, H. Akatsuka, H. Tokumitsu, H. Hidaka* 109
Amiloride at pH 7.0 inhibits the Na^+-driven flagellar motors of *Vibrio alginolyticus* but allows cell growth (FEBS 11843) *T. Atsumi, Y. Maekawa, H. Tokuda, Y. Imae* 114
Determination of proteinase 3–α_1-antitrypsin complexes in inflammatory fluids (FEBS 11841) *K.M. Dolman, B.A.v. de Wiel, C.-M. Kam, J.J. Abbink, C.E. Hack, A. Sonnenberg, J.C. Powers, A.E.G.K. von dem Borne, R. Goldschmeding* 117
Chromogranin A processing in sympathetic neurons and release of chromogranin A fragments from sheep spleen* (FEBS 11844) *B. Miserez, W. Annaert, L. Dillen, D. Aunis, W. De Potter* 122
Endotoxin transduces Ca^{2+} signaling via platelet-activating factor receptor (FEBS 11845) *M. Nakamura, Z.-i. Honda, I. Waga, T. Matsumoto, M. Noma, T. Shimizu* 125
Evidence that deprotonation of Serine-55 is responsible for the pH-dependence of the parvalbumin Eu^{3+} $^7F_0 \rightarrow {}^5D_0$ Spectrum (FEBS 11848) *M.T. Henzl, C.L. Treviño, L. Dvoráková, J.M. Boschi* 130
Detection of an enzyme bound γ-glutamyl acyl ester of carbamyl phosphate synthetase of *Escherichia coli* (FEBS 11846) *C.J. Lusty* 135
Identification of the active site serine of the X-prolyl dipeptidyl aminopeptidase from *Lactococcus lactis* (FEBS 11847) *J.-F. Chich, M.-P. Chapot-Chartier, B. Ribadeau-Dumas, J.-C. Gripon* 139
Thrombin-induced proliferation and expression of platelet-derived growth factor-A chain gene in human vascular smooth muscle cells (FEBS 11849) *C. Kanthou, G. Parry, E. Wijelath, V.V. Kakkar, C. Demoliou-Mason* 143

Published by Elsevier Science Publishers B.V.

Irreversible oxidative inactivation of protein kinase C by photosensitive inhibitor calphostin C (FEBS 11850) *R. Gopalakrishna, Z.H. Chen, U. Gundimeda* 149
Assignment of the redox potentials to the four haems in *Desulfovibrio vulgaris* cytochrome c_3 by 2D-NMR (FEBS 11851) *C.A. Salgueiro, D.L. Turner, H. Santos, J. LeGall, A.V. Xavier* 155
Annexin V forms calcium-dependent trimeric units on phospholipid vesicles (FEBS 11852) *N.O. Concha, J.F. Head, M.A. Kaetzel, J.R. Dedman, B.A. Seaton* 159
Gradient expression of *Cdx* along the rat intestine throughout postnatal development (FEBS 11855) *J.-N. Freund, R. Boukamel, A. Benazzouz* 163
Retinoic acid enhances the secretion of plasminogen from cultured rat microglia (FEBS 11856) *K. Nakajima, N. Takemoto, S. Kohsaka* 167
Protein structural effects of agonist binding to the nicotinic acetylcholine receptor (FEBS 11861) *J. Castresana, G. Fernandez-Ballester, A.M. Fernandez, J.L. Laynez, J.-L.R. Arrondo, J.A. Ferragut, J.M. Gonzalez-Ros* 171
Identification of four FGF receptor genes in Medaka fish (*Oryzias latipes*) (FEBS 11862) *Y. Emori, A. Yasuoka, K. Saigo* 176
A mechanism for NADPH inhibition of catalase compound II formation (FEBS 11859) *A. Hillar, P. Nicholls* 179
β-Glucosidase activity towards a bile acid glucoside in human liver (FEBS 11858) *H. Matern, R. Gartzen, S. Matern* 183
cDNA sequence analysis of an antibiotic dodecapeptide from neutrophils (FEBS 11857) *P. Storici, G. Del Sal, C. Schneider, M. Zanetti* 187
The oxygen reactive species of cytochrome-*c*-oxidase: an alternative view (FEBS 11854) *M. Brunori, G. Antonini, F. Malatesta, P. Sarti, M.T. Wilson* 191
γ-COP, a coat subunit of non-clathrin-coated vesicles with homology to Sec21p (FEBS 11860) *G. Stenbeck, R. Schreiner, D. Herrmann, S. Auerbach, F. Lottspeich, J.E. Rothman, F.T. Wieland* 195
Cross-linking of apolipoproteins is involved in a loss of the ligand activity of high density lipoprotein upon Cu^{2+}-mediated oxidation (FEBS 11864) *M. Sakai, A. Miyazaki, Y.-I. Sakamoto, M. Shichiri, S. Horiuchi* 199
Talin anchors and nucleates actin filaments at lipid membranes: A direct demonstration (FEBS 11863) *S. Kaufmann, J. Käs, W.H. Goldmann, E. Sackmann, G. Isenberg* 203
A DNA fragment homologous to F_1-ATPase β subunit was amplified from genomic DNA of *Methanosarcina barkeri*: Indication of an archaebacterial F-type ATPase (FEBS 11853) *M. Sumi, M.H. Sato, K. Denda, T. Date, M. Yoshida* 207
Nucleotide sequence of the genes for ribosomal proteins HS15 and HSH from *Haloarcula marismortui*: an archaeon-specific gene cluster (FEBS 11865) *E. Arndt, C. Steffens* 211
Molecular cloning of G protein α subunits from the central nervous system of the mollusc *Lymnaea stagnalis* (FEBS 11866) *J.C. Knol, W. Weidemann, R.J. Planta, E. Vreugdenhil, H. van Heerikhuizen* 215
The amino acid sequence of a type I copper protein with an unusual serine- and hydroxyproline-rich C-terminal domain isolated from cucumber peelings (FEBS 11867) *K. Mann, W. Schäfer, U. Thoenes, A. Messerschmidt, Z. Mehrabian, R. Nalbandyan* 220
Proteolytic processing of human intestinal lactase-phlorizin hydrolase precursor is not a prerequisite for correct sorting in Madin Darby canine kidney (MDCK) cells (FEBS 11868) *J. Grünberg, U. Luginbühl, E.E. Sterchi* 224
Inhibition of passive cutaneous anaphylaxis by synthetic human immunoglobulin E peptide fragments (FEBS 11869) *N. Nio, K. Seguro, Y. Ariyoshi, K. Ishii, H. Nakamura* 229
Processing of the chloroplast transit peptide of pea carbonic anhydrase in chloroplasts and in *Escherichia coli* Identification of two cleavage sites (FEBS 11870) *I.-M. Johansson, C. Forsman* 232
Receptor mediated mineralocorticoid action in alga cell mutants (FEBS 11871) *M. Mirshahi, A. Mirshahi, A. Nato, M.K. Agarwal* 237
Phosphorylation of smg p21B in rat peritoneal mast cells in association with histamine release inhibition by dibutyryl-cAMP (FEBS 11872) *K. Izushi, T. Shirasaka, M. Chokki, K. Tasaka* 241
Insulin and noradrenaline independently stimulate the translocation of glucose transporters from intracellular stores to the plasma membrane in mouse brown adipocytes (FEBS 11873) *M. Omatsu-Kanbe, H. Kitasato* 246
No genetic differences between affected and unaffected members of a German family with Leber's hereditary optic neuropathy (LHON) with respect to ten mtDNA point mutations associated with LHON (FEBS 11874) *K.-D. Gerbitz, A. Paprotta, B. Obermaier-Kusser, M. Rietschel, K. Zerres* 251
Anticodon-dependent aminoacylation of RNA minisubstrate by lysyl-tRNA synthetase (FEBS 11875) *A.M. Khvorova, Y. Motorin, A.D. Wolfson, K.L. Gladilin* 256
DNA-specific antiidiotypic antibodies in the sera of patients with autoimmune diseases (FEBS 11839) *I.B. Bronshtein, A.M. Shuster, G.V. Gololobov, I.I. Gromova, O.A. Kvashuk, K.M. Belostotskaya, Z.S. Alekberova, T.B. Prokaeva, A.G. Gabibov* 259
Air saturation of the medium reduces the rate of phosphorylating oxidation of succinate in isolated mitochondria (FEBS 11840) *V.A. Khazanov, A.N. Poborsky, M.N. Kondrashova* 264
Two subforms of eukaryotic topoisomerase I: Purification and structure–function relationships (FEBS 11876) *A.R. Kudinov, I.B. Bronstein, A.G. Gabibov, G.V. Gololobov* 267
Investigation of the neighbour relationships between photosystem II polypeptides in the two types of isolated reaction centres (D1/D2/cytb_{559} and CP47/D1/D2/cyt b_{559} complexes) (FEBS 11877) *A.A. Moskalenko, R. Barbato, G.M. Giacometti* 271
Diversion of the sign of phototaxis in a *Chlamydomonas reinhardtii* mutant incorporated with retinal and its analogs (FEBS 11878) *T. Takahashi, M. Kubota, M. Watanabe, K. Yoshihara, F. Derguini, K. Nakanishi* 275
Ciliary neurotrophic factor induces acute-phase protein expression in hepatocytes (FEBS 11880) *H. Schooltink, T. Stoyan, E. Roeb, P.C. Heinrich, S. Rose-John* 280
The murine NPY-1 receptor gene: Structure and delineation of tissue-specific expression (FEBS 11881) *C. Eva, A. Oberto, R. Sprengel, E. Genazzani* 285
Inhibition of epidermal growth factor receptor functions by tyrosine kinase inhibitors in NIH3T3 cells (FEBS 11882) *K. Umezawa, D. Sugata, K. Yamashita, N. Johtoh, M. Shibuya* 289
Resonance Raman studies of the carbonmonoxy form of catalase: Evidence for and effects of phenolate ligation (FEBS 11883) *S. Hu, J.R. Kincaid* 293
Tumor necrosis factor α stimulates sphingomyelinase through the 55 kDa receptor in HL-60 cells (FEBS 11884) *F. Yanaga, S.P. Watson* 297
Functional consequences of alterations to Pro^{328} and Leu^{332} located in the 4th transmembrane segment of the α-subunit of the rat kidney Na^+,K^+-ATPase (FEBS 11886) *B. Vilsen* 301
Interdependence of respiratory NO reduction and nitrite reduction revealed by mutagenesis of *nir*Q, a novel gene in the denitrification gene cluster of *Pseudomonas stutzeri* (FEBS 11879) *A. Jüngst, W.G. Zumft* 308
Glycogen synthase kinase-3 and the Alzheimer-like state of microtubule-associated protein tau (FEBS 11885) *E.-M. Mandelkow, G. Drewes, J. Biernat, N. Gustke, J. Van Lint, J.R. Vandenheede, E. Mandelkow* 315

Role of ADP-ribosylation in endothelial signal transduction and prostacyclin production (FEBS 11887) *H. Halldórsson, T. Bödvarsdóttir, M. Kjeld, G. Thorgeirsson* 322
A novel nuclear 42-kDa casein kinase identified in *Chironomus tentans* (FEBS 11888) *J. Stigare, J. Kovacs, N. Buddelmeijer, E. Egyhazi* 327
A novel ubiquinone reductase activity in rat cytosol (FEBS 11890) *T. Takahashi, M. Shitashige, T. Okamoto, T. Kishi, K. Goshima* 331
Molecular cloning of a novel protein-tyrosine phosphatase SH-PTP3 with sequence similarity to the *src*-homology region 2* (FEBS 11891) *M. Adachi, M. Sekiya, T. Miyachi, K. Matsuno, Y. Hinoda, K. Imai, A. Yachi* 335
Augmentation of retinoic acid-induced granulocytic differentiation in HL-60 leukemia cells by serine/threonine protein phosphatase inhibitors (FEBS 11892) *K. Morita, M. Nishikawa, K. Kobayashi, K. Deguchi, M. Ito, T. Nakano, H. Shima, M. Nagao, T. Kuno, C. Tanaka, S. Shirakawa* 340
Photoreaction of N_{560} intermediate in the photocycle of bacteriorhodopsin (FEBS 11894) *N. Yamamoto, S. Naramoto, H. Ohtani* 345
Preferential binding of α-actinin to actin bundles (FEBS 11895) *E. Grazi, P. Cuneo, E. Magri, C. Schwienbacher* 348
Pulsed magnetic field effects on calcium signaling in lymphocytes: dependence on cell status and field intensity (FEBS 11896) *J. Walleczek, T.F. Budinger* 351
Bone morphogenetic proteins (BMP-2 and BMP-3) induce the late phase expression of the proto-oncogene c-*fos* in murine osteoblastic MC3T3-E1 cells (FEBS 11897) *S. Ohta, Y. Hiraki, C. Shigeno, F. Suzuki, R. Kasai, T. Ikeda, H. Kohno, K. Lee, H. Kikuchi, J. Konishi, H. Bentz, D.M. Rosen, T. Yamamuro* 356
POU-specific domain of Oct-2 factor confers 'octamer' motif DNA binding specificity on heterologous Antennapedia homeodomain (FEBS 11898) *E. Brugnera, L. Xu, W. Schaffner, D.N. Arnosti* 361
Tumor necrosis factor modulation of expression of the cystic fibrosis transmembrane conductance regulator gene (FEBS 11899) *H. Nakamura, K. Yoshimura, G. Bajocchi, B.C. Trapnell, A. Pavirani, R.G. Crystal* 366
Brefeldin A inhibits protein synthesis in cultured cells (FEBS 11900) *P.H. Fishman, P.K. Curran* 371
The organisation of the mouse secretogranin II gene (FEBS 11901) *A. Schimmel, O. Bräunling, U. Rüther, W.B. Huttner, H.-H. Gerdes* 375
Presence and coding properties of 2′-*O*-methyl-5-carbamoylmethyluridine (ncm^5Um) in the wobble position of the anticodon of $tRNA^{Leu}$ (U*AA) from brewer's yeast (FEBS 11902) *A.-L. Glasser, C. El Adlouni, G. Keith, E. Sochacka, A. Malkiewicz, M. Santos, M.F. Tuite, J. Desgrès* 381
A 25 kDa α_2-microglobulin-related protein is a component of the 125 kDa form of human gelatinase (FEBS 11904) *S. Triebel, J. Bläser, H. Reinke, H. Tschesche* 386
Human urokinase contains GalNAcβ(1-4)[Fucα(1-3)]GlcNAcβ(1-2) as a novel terminal element in *N*-linked carbohydrate chains (FEBS 11906) *A.A. Bergwerff, J.E. Thomas-Oates, J. van Oostrum, J.P. Kamerling, J.F.G. Vliegenthart* 389
Effect of phosphoramidon on big endothelin-2 conversion into endothelin-2 in human renal adenocarcinoma (ACHN) cells: Analysis of endothelin-2 biosynthetic pathway (FEBS 11907) *K. Yorimitsu, O. Shinmi, M. Nishiyama, K. Moroi, Y. Sugita, T. Saito, Y. Inagaki, T. Masaki, S. Kimura* 395
Altered response to growth factors in rat epithelial liver cells overexpressing human c-Fos protein (FEBS 11914) *S. Lagarrigue, C. Seillan-Heberden, P. Martel, I. Gaillard-Sanchez* 399
Verapamil reverses the ultrastructural alterations in the plasma membrane induced by drug resistance (FEBS 11918) *L.M. García-Segura, F. Soto, R. Planells-Cases, J.M. Gonzalez-Ros, J.A. Ferragut* 404
Enhanced acetylcholine secretion in neuroblastoma × glioma hybrid NG108–15 cells transfected with rat choline acetyltransferase cDNA (FEBS 11915) *Y. Kimura, Y. Oda, T.D. , H. Higashida* 409
Side chain and backbone assignments in isotopically labeled proteins from two heteronuclear triple resonance experiments (FEBS 11889) *T.M. Logan, E.T. Olejniczak, R.X. Xu, S.W. Fesik* 413
The thermal stability of the tryptic fragment of bovine microsomal cytochrome b_5 and a variant containing six additional residues (FEBS 11893) *R.J. Newbold, R. Hewson, D. Whitford* 419
Nucleolar and cytoplasmic localization of annexin V (FEBS 11903) *J. Sun, H.H. Salem, P. Bird* 425
Characterization of carbohydrate chains of C1-inhibitor and of desialylated C1-inhibitor (FEBS 11905) *O.L. Schoenberger* 430
Secondary structure of human granulocyte colony-stimulating factor derived from NMR spectroscopy (FEBS 11908) *T. Zink, A. Ross, D. Ambrosius, R. Rudolph, T.A. Holak* 435
Determination of the relative configuration of 5,6,7,8-tetrahydromethanopterin by two-dimensional NMR spectroscopy (FEBS 11909) *J. Schleucher, B. Schwörer, C. Zirngibl, U. Koch, W. Weber, E. Egert, R.K. Thauer, C. Griesinger* 440
Soluble interferon-α receptor molecules are present in body fluids (FEBS 11910) *D. Novick, B. Cohen, M. Rubinstein* 445
Intrinsic activity of precursor forms of HIV-1 proteinase (FEBS 11911) *L.H. Phylip, J.S. Mills, B.F. Parten, B.M. Dunn, J. Kay* 449
Studies of oxidative stress in cellular systems: The interaction of monocytes and erythrocytes (FEBS 11913) *P.E. McGowan, J. Reglinski, W.E. Smith, R. Wilson, R.D. Sturrock* 455
The neuropeptide, neuromedin C, activates a potassium current in mouse macrophages (FEBS 11916) *M. Ichinose, N. Hara, M. Sawada, T. Maeno* 458
Identification of a MAP kinase kinase kinase in phaeochromocytoma (PC12) cells (FEBS 11937) *N. Gomez, S. Traverse, P. Cohen* 461
Role of liver-type glucose transporter (GLUT2) in transport across the basolateral membrane in rat jejunum (FEBS 11919) *K.-i. Miyamoto, T. Takagi, T. Fujii, T. Matsubara, K. Hase, Y. Taketani, T. Oka, H. Minami, Y. Nakabou* 466
Uptake and metabolism of fluorescent ceramide analogs by rat oligodendrocytes in culture (FEBS 11917) *M.L. Giudici, J.P. Vos, S. Marchesini, L.M.G. Van Golde, M. Lopes-Cardozo* 471
Molecular basis for the insensitivity of the Monarch (*Danaus plexippus*) to cardiac glycosides (FEBS 11920) *F. Holzinger, C. Frick, M. Wink* 477
The homodimeric hemoglobin from *Scapharca* can be locked into new cooperative structures upon reaction of Cys^{92}, located at the subunit interface, with organomercurials (FEBS 11921) *G. Colotti, A. Boffi, D. Verzili, M. Coletta, E. Chiancone* 481
The binding of the fluorescent ATP analogue 2′(3′)-trinitrophenyladenosine-5′-triphosphate to rat liver fatty acid-binding protein (FEBS 11922) *M. Sheridan, D.C. Wilton* 486
Evidence for receptor-linked activation of phospholipase D in rat parotid glands: Stimulation by carbamylcholine, PMA and calcium (FEBS 11923) *I. Guillemain, B. Rossignol* 489

Author index to volume 314 493

Contents to volume 314 499